

# Televes

## QUATTRO MDU 2350

LNB

950 - 2150

IF

4

4



Televes.

2350




	950 MHz - 5.45 GHz	
	20 dB	
	MIN	MAX
SML PON	-13 dBm	0 dBm
STD PON	-18 dBm	-14 dBm
SAT	120	
	FC / PC Female	

	950 MHz - 1950 MHz <14.5 V	
	950 MHz - 1950 MHz >15.5 V	
	1100 MHz - 2150 MHz <14.5 V + 22KHz	
	1100 MHz - 2150 MHz >15.5 V + 22KHz	
	10 dB	
	5 dB	
	MIN	MAX
	-65 dBm	-25 dBm
	30dB	
	4 dB	
	75 Ohm	
	0 to 50°C	
	-10 to 50°C	
	Female F-Type	
	160 x 185 x 30 mm	
( QUAD TWIN)	STB	
( QUATTRO)	20VDC	
	0.4 Kg	
	< 300 mA	




\* ) C / N (SML) ( 16 LNB  
15 .



- : - 170 120 65 :

# RED COMERCIAL - COMMERCIAL NETWORK



- \* Oficinas Centrales / Head Office
- Delegaciones / Subsidiaries

## Sucursales / Distributors

Para conocer nuestra red de sucursales en el mundo, le rogamos consulte en nuestra pagina web  
Please visit Televés web site to find your nearest Official Distributor

# Televés

Rúa Benéfica de Conxo, 17  
15706 - Santiago de Compostela  
ESPAÑA (SPAIN)

Tel: +34 981 52 22 00 - Fax: +34 981 52 22 62  
telev.es@telev.es.com - www.telev.es.com